
## **Volume Capacities for Ratchet-Pro PVC Floor Box**

Volume Capacities								
			Single Service 895 & 896 Activation		Dual Service 895DCC Activation		Dual Service 881CTC, 881RC4ATC, 897CTC & 897CFFTC Activations	
вох	BOX HEIGHT		WIRING VOLUME		WIRING VOLUME (with Divider)		WIRING VOLUME (with Divider)	
In	[mm]	Cu. In	[ml]	Cu. In	[ml]	Cu. In	[ml]	
6 5 1/2 5 4 1/2 4 3 1/2 3	[152.0] [140.0] [127.0] [114.0] [102.0] [89.0] [76.0]	65.0 58.0 51.0 44.0 37.0 30.0 23.0	[1065.0] [950.0] [835.0] [720.0] [605.0] [490.0] [377.0]	45.0 39.3 33.6 27.9 22.2 16.5 10.8	[738.0] [644.0] [551.0] [457.0] [364.0] [270.0] [177.0]		[457.0] [364.0] [270.0] [177.0] use in concrete pours in 4 1/2" [114mm].	

**NOTE:** To calculate total box volume, use the displacement of the largest uncut section remaining.

## CAUTION

Installation must comply with NEC and local code conductor volume requirements. Not for use when concrete is the finished floor. Use only for tile, carpet, or wood covered floors.



To Wiremold.com >>> Guide Form Specs CAD Drawings Available