

# SPECIFICATION SHEET

## **T8 Ballast Bypass LED Lamp**

**Operates with Direct Line Voltage - No Ballast Needed** 

Item Number 33672

#### Specifications

1	
Energy Used (Watts)	
Domestic Code	LED 18T8/48"/40 Ballast Bypass
Input Voltage	
Brightness (Lumens)	
Average Rated Hours	50,000
Life (in years)*	
Light Appearance (Kelvin)	
CRI	
Efficacy (LPW)	
Number of LED Modules	
Minimum Starting Temperature	20°C/-4°F
Estimated Yearly Energy Cost**	\$2.17
Package Type	Sleeve

### Physical Characteristics

Finish	Frost
Color Designation	Cool White
Base	G13 (Medium BiPin)
MOL	48″



#### Warning

- Turn power off before inspection, installation, or removal.
- Risk of electric shock Do not use where exposed to water or weather.
- For use in totally enclosed fixtures.
- Do not open no user serviceable parts inside.
- This device is not intended for use with emergency exit luminaires or emergency exit lights.
- This device complies with Part 15 of the FCC rules and has been tested and found to comply with the limits for a Class B digital device. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. Any changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

\* Based on 3 hrs./day

\*\* Based on 3 hrs./day 11¢/kWh - Cost depends on rates and use.

Specifications are subject to change without notice, please visit www.westinghouselighting.com for latest information.

#### Call 1-800-999-2226 or visit www.westinghouselighting.com.

(W), WESTINGHOUSE, and INNOVATION YOU CAN BE SURE OF are trademarks of Westinghouse Electric Corporation. Used under license by Westinghouse Lighting. All Rights Reserved.